

MARCH 18, 2020

TAKING CARE OF YOUR BEHAVIORAL HEALTH

City of West Hollywood
Human Resources Division

Reference article from Substance Abuse and Mental Health Services Administration (SAMHSA)



Tips For Social Distancing, Quarantine, And Isolation During An Infectious Disease Outbreak

Introduction

This information describes feelings and thoughts you may have during and after social distancing, quarantine, and isolation. It also suggests ways to care for your behavioral health during these experiences and provides resources for more help.

What To Expect: Typical Reactions

Everyone reacts differently to stressful situations such as an infectious disease outbreak that requires social distancing, quarantine, or isolation. People may feel:

Anxiety, worry, or fear related to:

- Your own health status
- The health status of others whom you may have exposed to the disease
- The resentment that your friends and family may feel if they need to go into quarantine as a result of contact with you
- The experience of monitoring yourself, or being monitored by others for signs and symptoms of the disease
- Time taken off from work and the potential loss of income and job security
- The challenges of securing things you need, such as groceries and personal care items
- **Concern** about being able to effectively care for children or others in your care
- **Uncertainty or frustration** about how long you will need to remain in this situation, and uncertainty about the future
- **Loneliness** associated with feeling cut off from the world and from loved ones
- **Anger** if you think you were exposed to the disease because of others' negligence
- **Boredom and frustration** because you may not be able to work or engage in regular day-to-day activities
- **Uncertainty or ambivalence** about the situation
- **A desire** to use alcohol or drugs to cope
- **Symptoms of depression**, such as feelings of hopelessness, changes in appetite, or sleeping too little or too much
- Symptoms of post-traumatic stress disorder (PTSD), such as intrusive distressing memories, flashbacks (reliving the event), nightmares, changes in thoughts and mood, and being easily startled.

If you or a loved one experience any of these reactions for 2 to 4 weeks or more, contact your **EAP (Employee Assistance Program)** provider or one of the resources at

MHN (Managed Health Network)

Phone: 1-888-327-0010

TTY users call 711

**Or visit: <https://www.members.mhn.com/>
Company code: westhollywood**

In an emergency, please call 911.

Ways To Support Yourself During Social Distancing, Quarantine, and Isolation

UNDERSTAND THE RISK

Consider the real risk of harm to yourself and others around you. The public perception of risk, during a situation such as an infectious disease outbreak, is often inaccurate. Media coverage may create the impression that people are in immediate danger when really the risk for infection may be very low. Take steps to get the facts:

- Stay up to date on what is happening, while limiting your media exposure. Avoid watching or listening to news reports 24/7 since this tends to increase anxiety and worry. Remember that children are especially affected by what they hear and see on television.
- Look to credible sources for information on the infectious disease outbreak.

BE YOUR OWN ADVOCATE

Speaking out about your needs is particularly important if you are in quarantine, since you may not be in a hospital or other facility where your basic needs are met. Ensure you have what you need to feel safe, secure, and comfortable.

- Work with local, state, or national health officials to find out how you can arrange for groceries and toiletries to be delivered to your home as needed.
- Inform health care providers or health authorities of any needed medications and work with them to ensure that you continue to receive those medications.

EDUCATE YOURSELF

Health care providers and health authorities should provide information on the disease, its diagnosis, and treatment.

- Do not be afraid to ask questions. Clear communication with a health care provider may help reduce any distress associated with social distancing, quarantine, or isolation.
- Ask for written information when available.
- Ask a family member or friend to obtain information in the event that you are unable to secure this information on your own.

Ways To Support Yourself During Social Distancing, Quarantine, and Isolation (Continued...)

CONNECT WITH OTHERS

Reaching out to people you trust is one of the best ways to reduce anxiety, depression, loneliness, and boredom during social distancing, quarantine, and isolation. You can:

- Use the telephone, email, text messaging, and social media to connect with friends, family, and others.
- Talk “face to face” with friends and loved ones using Skype or FaceTime.
- If approved by health authorities and your health care providers, arrange for your friends and loved ones to bring you newspapers, movies, and books.
- Sign up for emergency alerts via text or email to ensure you get updates as soon as they are available.
- Call SAMHSA’s free 24-hour Disaster Distress Helpline at 1-800-985-5990, if you feel lonely or need support.
- Use the Internet, radio, and television to keep up with local, national, and world events.
- If you need to connect with someone because of an ongoing alcohol or drug problem, consider calling your local Alcoholics Anonymous or Narcotics Anonymous offices.

TALK TO YOUR DOCTOR

If you are quarantined at home, and you’re worried about physical symptoms you or your loved ones may be experiencing, call your doctor or other health care provider:

- Ask your provider whether it would be possible to schedule remote appointments via Skype or FaceTime for mental health, substance use, or physical health needs.
- In the event that your doctor is unavailable and you are feeling stressed or are in crisis, call the hotline numbers listed at the end of this tip sheet for support.

USE PRACTICAL WAYS TO COPE AND RELAX

- Relax your body often by doing things that work for you—take deep breaths, stretch, meditate or pray, or engage in activities you enjoy.
- Pace yourself between stressful activities, and do something fun after a hard task.
- Talk about your experiences and feelings to loved ones and friends, if you find it helpful.
- Maintain a sense of hope and positive thinking; consider keeping a journal where you write down things you are grateful for or that are going well.



AFTER SOCIAL DISTANCING, QUARANTINE, OR ISOLATION

You may experience mixed emotions, including a sense of relief. If you were isolated because you had the illness, you may feel sadness or anger because friends and loved ones may have unfounded fears of contracting the disease from contact with you, even though you have been determined not to be contagious.

The best way to end this common fear is to learn about the disease and the actual risk to others. Sharing this information will often calm fears in others and allow you to reconnect with them.

If you or your loved ones experience symptoms of extreme stress—such as trouble sleeping, problems with eating too much or too little, inability to carry out routine daily activities, or using drugs or alcohol to cope—speak to a health care provider or call one of the hotlines listed on the last page for a referral.

If you are feeling overwhelmed with emotions such as sadness, depression, anxiety, or feel like you want to harm yourself or someone else, call 911 or the National Suicide Prevention Lifeline at 1-800-273-TALK (1-800-273-8255).

Helpful Resources

City of West Hollywood Employee Assistance Program (EAP)

MHN (Managed Health Network)

Phone: 1-888-327-0010

TTY users call 711

Or visit: <https://www.members.mhn.com/>

Company code: **westhollywood**



Substance Abuse and Mental Health Services Administration (SAMHSA)

Website: www.samhsa.gov

Hotlines:

SAMHSA's Disaster Distress Helpline

Toll-Free: 1-800-985-5990 (English and español)

SMS: Text TalkWithUs to 66746

SMS (español): "Hablanos" al 66746

TTY: 1-800-846-8517

Website (English): <http://www.disasterdistress.samhsa.gov>

Website (español): <http://www.disasterdistress.samhsa.gov/espanol.aspx>

SAMHSA's National Helpline

Toll-Free: 1-800-662-HELP (24/7/365 Treatment Referral

Information Service in English and español)

Website: <http://www.samhsa.gov/find-help/national-helpline>

National Suicide Prevention Lifeline

Toll-Free (English): 1-800-273-TALK (8255)

Toll-Free (español): 1-888-628-9454

TTY: 1-800-799-4TTY (4889)

Website (English): <http://www.suicidepreventionlifeline.org>

Website (español): <http://www.suicidepreventionlifeline.org/gethelp/spanish.aspx>

Treatment Locator

Behavioral Health Treatment Services Locator Website:

<http://findtreatment.samhsa.gov/locator/home>

For help finding treatment 1-800-662-HELP (4357) <https://findtreatment.gov/>

SAMHSA Disaster Technical Assistance Center

Toll-Free: 1-800-308-3515

Email: DTAC@samhsa.hhs.gov

Website: <http://www.samhsa.gov/dtac>

*Note: Inclusion or mention of a resource in this information does not imply endorsement by the Center for Mental Health Services, the Substance Abuse and Mental Health Services Administration, or the U.S. Department of Health and Human Services.