



# **West Hollywood Climate Action & Adaptation Plan**

## Greenhouse Gas Accounting and Projections Methodology

08 August 2021

Revision 02



# Table of Contents

|  |    |
|--|----|
| Table of Contents .....                        | 2  |
| Purpose.....                                   | 6  |
| Part I: GHG Emissions Inventory .....          | 7  |
| Community-scale GHG Emissions Inventory .....  | 7  |
| Municipal GHG Emissions Inventory .....        | 14 |
| Comparing 2008 and 2018 Emissions .....        | 18 |
| Part II: Emission Scenarios and Pathways ..... | 23 |
| BAU Scenario .....                             | 24 |
| BAP Scenario.....                              | 31 |
| Carbon Neutrality Scenario .....               | 36 |



## List of Tables and Figures

### Tables

|  |    |
|--|----|
| Table 1: Stationary Energy Emissions   | 8  |
| Table 2: Transportation Emissions  | 10 |
| Table 3: Product Use Emissions   | 11 |
| Table 4: Waste and Wastewater Emissions  | 12 |
| Table 5: Sequestration from Urban Trees  | 12 |
| Table 6: Other Scope 3 Emissions   | 13 |
| Table 7: 2018 GHG Emissions  | 13 |
| Table 8: Emissions from buildings and facilities   | 15 |
| Table 9: Vehicle fleet emissions   | 15 |
| Table 10: Other Scope 3 emissions  | 16 |
| Table 11: 2018 GHG Emissions   | 17 |
| Table 12: Emission sectors and sub-categories reported in 2008 and 2018 inventories      | 18 |
| Table 13: Community-scale emission trends between 2008 and 2018 (in MTCO <sub>2e</sub> ) | 20 |
| Table 14: Municipal GHG emission trends between 2008 and 2018 (in MTCO <sub>2e</sub> )   | 21 |
| Table 15: Space heating and cooling load projections                                     | 25 |
| Table 16: Stationary Energy BAU Summary  | 27 |
| Table 17: Transportation BAU Summary   | 29 |
| Table 18: Product Use BAU summary  | 29 |
| Table 19: Waste and Wastewater Summary   | 30 |
| Table 20: Other Scope 3 emissions summary  | 30 |



|   |    |
|---|----|
| Table 21: BAU summary   | 31 |
| Table 22: Stationary Energy BAP Summary                         | 32 |
| Table 23: Transportation BAP Summary                            | 33 |
| Table 24: Waste BAP Summary                                     | 34 |
| Table 25: Other Scope 3 BAP Summary                             | 34 |
| Table 26: BAP Summary   | 35 |
| Table 27: CN Transportation Targets                             | 36 |
| Table 28: Transportation CN Summary                             | 37 |
| Table 29: Transportation Emission Projections and Pathways      | 37 |
| Table 30: Stationary Energy Targets                             | 38 |
| Table 31: Stationary Energy Emission Pathways                   | 38 |
| Table 32: Waste and Wastewater Targets                          | 40 |
| Table 33: Waste and Wastewater Emission Pathways                | 40 |
| Table 34: Urban Trees Emissions/Sequestration Targets           | 42 |
| Table 35: Urban Trees Emissions/Sequestration Emission Pathways | 42 |
| Table 36: Other Scope 3 Emission Targets                        | 43 |
| Table 37: Other Scope 3 Emission Pathways                       | 43 |
| Table 38: Carbon Neutrality Pathways by Sector                  | 45 |

## Figures

|  |    |
|--|----|
| Figure 1: 2018 Residential and Commercial Energy Use ..... | 8  |
| Figure 2: 2018 Mode Share/Split .....                      | 9  |
| Figure 3: Waste Composition.....                           | 11 |



|  |    |
|--|----|
| Figure 4: 2018 Community-scale GHG Emissions by Sector (excluding other scope 3) .....   | 14 |
| Figure 5: 2018 Municipal GHG Emissions by Source .....   | 17 |
| Figure 6: Emission reductions from 2008 to 2018 .....  | 21 |
| Figure 7: Municipal GHG Emissions in 2008 and 2018 .....   | 22 |
| Figure 8: Projected population growth in West Hollywood .....  | 24 |
| Figure 9: Building age in West Hollywood .....   | 25 |
| Figure 10: Grid emission factor .....  | 26 |
| Figure 11: Transportation Emission Projections and Pathways .....  | 37 |
| Figure 12: Stationary Energy Emission Projections and Pathways .....   | 39 |
| Figure 13: Waste and Wastewater Emission Projections and Pathways .....  | 41 |
| Figure 14: Urban Trees Emissions/Sequestration Projections and Pathways .....  | 43 |
| Figure 15: Other Scope 3 Projections and Pathways .....  | 44 |
| Figure 16: Carbon Neutrality Pathways .....  | 46 |
| Figure 17: Comparison of business-as-planned (BAP) and carbon neutral (CN) pathways at 2035. Gap in emissions is represented by measure specific GHG reductions compared to BAP..... | 47 |
| Figure 18: Residual Emissions by Proportion.....   | 48 |



## Purpose

This methodology memorandum describes the greenhouse gas (GHG) accounting and projections methodology for the West Hollywood Climate Action & Adaptation Plan (CAAP), which is expected to be completed and released in late 2021. The document is organized into two sections corresponding with the following objectives:

### Part I: GHG Emissions Inventory

This section describes the methodology for estimating 2018 GHG emissions from community-scale and municipal activities and sources. The community-scale inventory includes emissions and sequestration from transportation, stationary energy, product use, waste and wastewater, urban trees, and other scope 3 emissions associated with electricity use for water supply and wastewater treatment. The municipal GHG inventory section documents emissions from municipal buildings and facilities, vehicle fleet, and other scope 3 emissions from employee commute, employee generated waste, and water consumption at municipal facilities. This section also summarizes the emission trends between 2008 to 2018 and explains the differences between the accounting approaches used for estimating community-scale and municipal emissions, between the 2008 and 2018 inventories.

### Part II: Emission Scenarios and Pathways

This section describes the approach for modelling GHG emission scenarios to provide estimates of future emission levels based on several factors: continuation of existing trends in demographic growth, activity or resource consumption, as well as technology changes, State legislation, citywide programs, and proposed pathways for achieving carbon neutrality. Part II describes three emission scenarios:

- The business-as-usual (BAU) scenario projects future emissions based on current population and regional growth trends, climate patterns, and regulations introduced before the 2018 baseline year. The BAU scenario demonstrates the growth in GHG emissions that would occur if no further action were to be taken by the City or State after 2018.
- The business-as-planned (BAP) scenario uses the same growth assumptions as the BAU scenario, but also accounts for emissions reduced from regulations that were introduced between the 2018 baseline year and 2021 CAAP release. The BAP scenario demonstrates an emission trajectory that accounts for climate actions and programs that are already in the pipeline.
- The Carbon Neutrality (CN) scenario builds upon BAP projections and estimates the emission reduction potential of relevant measures and sub-actions proposed in this CAAP. These projections demonstrate sector-specific pathways will allow the City of West Hollywood to achieve carbon neutrality by 2035, consistent with the State's Executive Order B-55-18 that sets a goal of achieving carbon neutrality statewide by 2045.



# Part I: GHG Emissions Inventory

## Community-scale GHG Emissions Inventory

The 2018 Community-scale GHG emissions inventory for the City of West Hollywood was developed using the Global Protocol for Community-scale GHG Emission Inventories (GPC). This protocol is used for calculating and reporting emissions from community activities and sources from seven gases: Carbon dioxide (CO<sub>2</sub>), Methane (CH<sub>4</sub>), Nitrous oxide (N<sub>2</sub>O), Hydrofluorocarbons (HFCs), Perfluorocarbons (PFCs), Sulfur hexafluoride (SF<sub>6</sub>) and Nitrous trifluoride (NF<sub>3</sub>). GHG emissions from these activities are organized into five sectors: Transportation, Stationary Energy, Waste (including Wastewater), Industrial Processes and Product Use (IPPU), and Agriculture, Forestry and Other Land Use (AFOLU). The protocol further offers two related frameworks—the Scopes Framework and the City-induced Framework—for reporting emissions from each sector:

**Scopes Framework:** This framework captures GHG emissions produced within a geographic boundary by categorizing emissions as scope 1, 2 and 3 emissions in each Sector:

- Scope 1: Scope 1 emissions are produced from activities and sources within the city boundary.
- Scope 2: Scope 2 emissions are generated from the use of grid-supplied electricity, heat, steam and/or cooling within the city boundary; and
- Scope 3: Scope 3 emissions occur outside the city boundary due to activities taking place within the city boundary.

**City-induced Framework:** This framework measures GHG emissions attributable to activities and sources within a geographic boundary and covers selected scope 1, 2 and 3 emissions from each sector. This framework offers two reporting levels:

- BASIC: The BASIC reporting level includes emissions from Transportation, Stationary Energy, and Waste Sectors.
- BASIC+: The BASIC+ reporting level includes all BASIC requirements as well as emissions from Transmission and Distribution Grid Losses, Transboundary Transportation, In-Boundary Generated Waste emission sources, IPPU, and AFOLU.

The 2018 GHG emissions inventory for the City of West Hollywood utilizes the City-induced BASIC+ Framework with global warming potential (GWP) values from the Intergovernmental Panel on Climate Change (IPCC) Fifth Assessment Report (AR5), unless otherwise specified. The inventory is prepared using sector-specific generation and resource consumption data for relevant sub-sectors included in the BASIC+ protocol. The accounting methodology, data sources and emission factors used for accounting 2018 emissions are detailed in the subsequent sections.

## Stationary Energy

The Stationary Energy sector includes emissions from energy use in residential, commercial, and institutional buildings and facilities. Emissions from natural gas combustion in buildings and facilities and grid electricity consumption are reported under this sector. GHG emissions from natural gas consumption in residential and non-residential buildings are calculated using 2018 SoCalGas consumption data and emission factors from the Climate Registry.<sup>1 2</sup> GHG emissions from electricity consumption in residential and non-residential buildings are calculated using 2018 SCE consumptions data and an emissions factor from SCE.<sup>3</sup> Emissions associated with transmission and distribution losses are accounted using a loss factor of 4.80%.<sup>4</sup>

Table 1: Stationary Energy Emissions

| Category                     | Scope   | Activity              | Emissions (in MTCO <sub>2</sub> e) |
|------------------------------|---------|-----------------------|------------------------------------|
| Residential: Gas             | 1       | 6,526 thousand therms | 34,724                             |
| Residential: Electricity     | 2 and 3 | 97,100 MWh            | 23,459                             |
| Non-Residential: Gas         | 1       | 3,644 thousand therms | 19,388                             |
| Non-Residential: Electricity | 2 and 3 | 208,004 MWh           | 50,253                             |
| TOTAL                        |         |                       | 127,824                            |




Figure 1: 2018 Residential and Commercial Energy Use



## Transportation

The Transportation sector accounts for emissions from fuel combustion and electricity consumption from passenger vehicles, light-duty and medium-duty trucks, and public transit systems. These emissions are estimated using average weekday vehicle miles travelled (VMT) data obtained from West Hollywood’s 2017 Travel Demand Model and SCAG’s 2016 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS) Model, emission factors from CARB’s On-Road Mobile-Source Emissions Factors (EMFAC 2017) Model, and the 2018 EMFAC Fleet Database for West Hollywood.<sup>5 6</sup>The travel demand model accounts for the city’s modal share and segregates VMT into speed bins (five mile-per-hour intervals) to estimate CO2 equivalent (CO2e) emissions using emission factors from the EMFAC 2017 Model.

This inventory uses the induced activity method to estimate emissions from the city’s transportation activities, including trips that begin and/or end within the city. It does not include through trips that neither begin nor end within the city, as those trips are typically accounted for by the jurisdictions of origin and destination. For this reason, heavy duty trucks (HDT) are not accounted for in the model. It is assumed that HDT trips are based on commodity flow patterns within the broader region and therefore emissions associated with these trips are not allocated to the city. 100% of the VMT for all trips within the city and 50% of the VMT for trips with one trip end inside the city are allocated to West Hollywood. In summary, this inventory includes:

- Internal to Internal: Trips beginning and ending inside the City (100%)
- Internal to External: Trips beginning inside the City and ending outside the City (50%)
- External to Internal: Trips beginning outside the City and ending inside the City (50%)
- External to External trips (i.e. those that neither begin nor end inside the City) are not included.




Figure 2: 2018 Mode Share/Split



GHG emissions from electricity consumption at publicly accessible EV charging stations are calculated using ChargePoint 2018 sessions data and the Southern California Edison (SCE) emission factor (0.00023 MTCO<sub>2</sub>e per kWh).<sup>7</sup> Emissions associated with transmission and distribution electricity losses are accounted using a loss factor of 4.80%.<sup>8</sup> Electricity-related emissions from EV chargers are listed under the transportation sector for informational purposes only, and not accounted under the transportation sector total, to avoid double counting with the Stationary Energy sector.

Emissions from City Public Transit Systems including Cityline and Dial-A-Ride services are accounted using gasoline and compressed natural gas (CNG) consumption data.<sup>9-10</sup> GHG emissions from Metro buses are calculated using diesel, gasoline, and CNG gallon per gallon equivalent data from the Federal Transit Administration’s (FTA) National Transit database (NTD) and emission factors from the EMFAC database.<sup>11-12</sup> Emissions from Metro buses in West Hollywood are apportioned based on 2017 passenger patronage at each bus station.<sup>13</sup> For Metro bus services, only 50% of the emissions are accounted, as these trips are assumed to have one trip end inside the City on average.

Table 2: Transportation Emissions

| Category                      | Scope   | Activity  | Emissions (in MTCO <sub>2</sub> e) |
|-------------------------------|---------|---|------------------------------------|
| Passenger Vehicles and Trucks | 1 and 3 | 1,010,330 average weekday VMT   | 62,089                             |
| Buses (Metro and City)        | 1       | Diesel = 7,653 gallons<br>Gasoline = 50,676 gallons<br>CNG = 397,107 gallon equivalents | 4,105                              |
| TOTAL                         |         |   | 66,194                             |
| Public EV chargers*           | 2 and 3 | 102 MWh   | 25*                                |

\* Not included in the transportation total to avoid double counting with electricity emissions under Stationary Energy.

## Product Use

HFCs are synthetic gases that are often used to replace ozone-depleting substances. They are short lived climate pollutants (SLCPs), which are much more potent than CO<sub>2</sub> when measured in terms of GWP. Emissions from HFCs used in aerosols, foams, fire retardants, and refrigerants used for residential and commercial purposes in West Hollywood, and are estimated by scaling California’s HFC emissions based on population.<sup>14</sup> This inventory includes nine short-lived hydrofluorocarbons: HFC-125, HFC-134a, HFC-143a, HFC-152a, HFC-227ea, HFC245fa, HFC-32, HFC-365mfc, and HFC-43-10mee.<sup>15</sup> Emissions from other HFC-based products and refrigerants that are used in the industrial and transportation sectors are not accounted in this Inventory.

Table 3: Product Use Emissions

| Category    | Scope | Activity         | Emissions (in MTCO <sub>2</sub> e) |
|-------------|-------|------------------|------------------------------------|
| Residential | 1     | 36,854 residents | 4,562                              |
| Commercial  | 1     | 36,854 residents | 8,528                              |
| TOTAL       |       |                  | 13,090                             |

### Waste and Wastewater

The Waste sector accounts for emissions generated at landfills, biological treatment (composting and anaerobic digestion), and wastewater treatment plants. Waste and wastewater generated in West Hollywood are treated outside the city boundaries. Landfill-related emissions are calculated using annual disposal tonnage and waste characterization data.<sup>16</sup> Methane produced in landfills are estimated using the methane commitment model and CARB-specific landfill gas parameters that are built into the SEEC ClearPath tool.<sup>17</sup> Emissions from biological treatment are calculated based on food waste tonnage diverted to composting facilities and emission factors from the SEEC ClearPath tool.<sup>18 19</sup>




Figure 3: Waste Composition

Process emissions and direct biogenic emissions from wastewater treatment are calculated using emission factors from City of Los Angeles’ wastewater treatment plants. The four water reclamation plants collectively serve over 4 million people within and outside of the City of Los Angeles, with the capacity to treat over 580 million gallons of wastewater per day.<sup>20</sup> Emissions for the City of West Hollywood are attributed by scaling process emissions from these plants based on population. Emissions from electricity consumption and combustion of digester gas are reported under other 3 scope emissions.



Table 4: Waste and Wastewater Emissions

| Category                                    | Scope | Activity         | Emissions (in MTCO <sub>2e</sub> ) |
|---|-------|------------------|------------------------------------|
| Landfills                                   | 3     | 23,890 tons      | 6,835                              |
| Composting                                  | 3     | 4,492 tons       | 186                                |
| Wastewater Treatment (Process and Biogenic) | 3     | 36,854 residents | 676                                |
| TOTAL                                       |       |                  | 7,697                              |

### Urban Trees

Trees act as a sink for CO<sub>2</sub> by fixing carbon during photosynthesis and storing it as biomass. Emission reductions from urban trees in West Hollywood are estimated using 2016 parcel-level tree canopy area and sequestration rates (0.06 kg C/square meter/year) for the City of Los Angeles.<sup>21 22</sup> Due to lack of more recent data, 2018 emissions are calculated using 2016 tree canopy data.

Table 5: Sequestration from Urban Trees

| Category    | Scope | Activity                              | Emissions (in MTCO <sub>2e</sub> ) |
|-------------|-------|---------------------------------------|------------------------------------|
| Urban Trees | 1     | 13.6 million square feet canopy cover | -255                               |

### Other Scope 3 Emissions

West Hollywood does not have any water filtration nor wastewater treatment plants within the city boundaries. The City does not have direct control over energy-related emissions from water filtration and wastewater treatment, and they are therefore accounted as other scope 3 emissions.

**Water Consumption:** Emissions from water filtration are estimated using 2016 combined emission factor for water conveyance, treatment and distribution (0.1662 MTCO<sub>2e</sub> per capita) for Los Angeles Department of Water and Power and Beverly Hills Water, which are the water suppliers serving the City of West Hollywood.<sup>23</sup>

**Wastewater Treatment:** Emissions from electricity consumption and stationary combustion from wastewater treatment are calculated using emission factors from the City of Los Angeles’ wastewater treatment plants.<sup>24</sup> Emissions for the City of West Hollywood are attributed by scaling process emissions from these plants based on population.



Table 6: Other Scope 3 Emissions

| Category                           | Scope | Activity         | Emissions (in MTCO <sub>2</sub> e) |
|------------------------------------|-------|------------------|------------------------------------|
| Water Treatment                    | 3     | 36,661 residents | 6,125                              |
| Wastewater Treatment (Electricity) | 3     | 36,661 residents | 685                                |
| TOTAL                              |       |                  | 6,810                              |

### Summary

In 2018, total GHG emissions from West Hollywood’s community-scale activities are estimated to be 0.22 Million MTCO<sub>2</sub>e, including scope 3 emissions. The City’s per capita GHG emissions are 6 MTCO<sub>2</sub>e per person. The stationary energy sector is the largest contributor of GHG emissions, followed by the transportation sector. These two categories collectively make up 91% of West Hollywood’s total GHG emissions.

Table 7: 2018 GHG Emissions

| Category                          | Scope      | Emissions (in MTCO <sub>2</sub> e) |
|-----------------------------------|------------|------------------------------------|
| Stationary Energy (Electricity)   | 2 & 3      | 73,712                             |
| Stationary Energy (Gas)           | 1          | 54,112                             |
| On-road Transportation            | 1, 2 and 3 | 66,194                             |
| Product Use                       | 1          | 13,090                             |
| Solid Waste                       | 3          | 7,021                              |
| Wastewater Treatment              | 3          | 676                                |
| Urban Trees                       | 1          | -255                               |
| TOTAL                             |            | 214,551                            |
| <i>Water Supply and Treatment</i> | <i>3</i>   | <i>6,125</i>                       |
| <i>Wastewater Treatment</i>       | <i>3</i>   | <i>685</i>                         |
| TOTAL (with Other Scope 3)        |            | 221,361                            |

### 2018 GHG Emissions Breakdown




Figure 4: 2018 Community-scale GHG Emissions by Sector (excluding other scope 3)

## Municipal GHG Emissions Inventory

The 2018 municipal GHG emissions inventory for the City of West Hollywood was developed using the Local Government Operations Protocol (LGOP), which provides comprehensive guidelines for reporting GHG emissions related to municipal operations. LGOP offers governments a standardized approach that can be tailored based on operational or financial control over City-owned facilities and processes. The Protocol covers six gases: Carbon dioxide (CO<sub>2</sub>), Methane (CH<sub>4</sub>), Nitrous oxide (N<sub>2</sub>O), Hydrofluorocarbons (HFCs), Perfluorocarbons (PFCs), and Sulfur hexafluoride (SF<sub>6</sub>). The 2008 municipal inventory used LGOP to identify and report emissions from municipal assets and operations. The 2018 inventory uses the same Protocol to account for emissions from buildings and facilities, streetlights and traffic signals, vehicle and transit fleet (including public EV chargers), power generation, and other employee activities (such as commute, business travel, waste and wastewater generation).

### Energy Use and Emissions

This sector accounts for GHG emissions from any City-owned or operated buildings and facilities, streetlights, and traffic lights. Emissions from natural gas combustion in buildings and grid electricity consumption are reported under this sector. In total, the City of West Hollywood owns and/or operates 13 buildings and facilities that use electricity, six of which use natural gas as well. The City’s utility data (accessed through EnergyStar Portfolio Manager) was used to calculate GHG emissions from energy use in municipal buildings. This includes both grid electricity and natural gas consumption. Consumption information was extracted for the 2018 calendar year and used to calculate emissions for each building using the SCE Grid Emission Factor and natural gas emissions factors from The Climate Registry.<sup>25</sup> Transmission and distribution losses are also accounted for using a loss factor of 4.80% per eGRID WECC.<sup>26</sup>



The energy used to power streetlights and traffic signals is also included in this sector. GHG emissions from electricity use in municipal lighting operations are estimated using SCE Grid Emission Factor with a loss factor of 4.80% for transmission and distribution losses.

Table 8: Emissions from buildings and facilities

| Category                               | Scope | Activity    | Emissions (in MTCO2e) |
|--|-------|-------------|-----------------------|
| Buildings and Facilities - Natural Gas | 1     | 3,965 MMBtu | 210                   |
| Buildings and Facilities - Electricity | 2     | 3,271 MWh   | 790                   |
| Streetlights and Traffic Signals       | 2     | 2,059 MWh   | 497                   |
| EV Charging                            | 2 & 3 | 102 MWh     | 25                    |
| TOTAL                                  |       |             | 1,522                 |

## Vehicle Fleet

This sector accounts for GHG emissions generated by the City’s municipal fleet and City-owned and/or operated public transit vehicles. In order to estimate CO2 emissions from municipal vehicle trips, fuel usage data was used along with EPA emission factors to calculate the total CO2 generated from municipal vehicles.<sup>27</sup> In order to calculate N2O and CH4 emissions from municipal vehicle trips, total gallons used by vehicle type are aggregated from the raw data by grouping by vehicle model and year. Desktop research was used to find miles per gallon (MPG) for each vehicle type. Highway and city MPG values are averaged to capture all trip types. Gallons are multiplied by MPG for each vehicle type to estimate total distance driven (in miles). Next, emissions factors from The Climate Registry were used for calculating CH4 and N2O emissions across the fleet.<sup>28</sup>

For public transit vehicles operated by the City (including Cityline and Dial-A-Ride), total gallons used in 2018 are reported by fuel type. Desktop research was used to find miles per gallon (MPG) for each vehicle type. Appropriate emission factors are applied to each unique vehicle type.<sup>29</sup> Emissions are multiplied by their respective GWP and summed to illustrate total MT CO2e generated by the municipal vehicle fleet in 2018.

In 2018/19 there were 8 public EV charging stations located in West Hollywood (with another 8 curbside stations installed in April 2020). For this inventory, 2018 energy usage data from these charging stations was obtained from the City’s ChargePoint account.<sup>30</sup> Daily energy use in kWh was obtained for the stations for the 2018 calendar year. Energy use was summarized to provide an annual energy use value in MWh. Next, emission factors for CO2, N2O, and CH4 in pounds per MWh are used to estimate total emissions resulting from municipal EV charging operations.

Table 9: Vehicle fleet emissions

| Category | Scope | Activity | Emissions (in MTCO2e) |
|----------|-------|----------|-----------------------|
|----------|-------|----------|-----------------------|



|                              |   |                           |     |
|------------------------------|---|---------------------------|-----|
| Municipal Vehicle Fleet      | 1 | 16,711 Gallons (Gasoline) | 150 |
| City-operated Public Transit | 1 | 32,800 Gallons (Gasoline) | 288 |
| TOTAL                        |   |                           | 438 |

### Other Scope 3 Emissions

**Employee commute:** Emissions generated from employee commutes to and from work in personal vehicles are classified as Scope 3 emissions. These emissions are calculated by determining the total vehicle commute trips for all persons employed by the City of West Hollywood. Employees who commute to work via alternative modes of travel are not considered in this analysis. A city-wide daily VMT per employee figure (15.8 miles) was used per the City’s Travel Demand Model.<sup>31</sup>

This VMT per employee figure was used to estimate total distance travelled (in miles) by all employees during a given year. From that, an average 22 MPG was used to estimate the total gallons of fuel used by all employees during the year. Emission factors per EPA and The Climate Registry are applied along with the GWP for each greenhouse gas to illustrate total CO<sub>2</sub>e generated by employee commutes in 2018.<sup>32 33</sup> It is assumed that employees commute 260 workdays per year and that the average car model year is post-2008.

**Employee Generated Waste:** To estimate GHG emissions generated by municipal waste, CalRecycle’s per employee disposal rate (11.9 pounds per employee per work day) was used.<sup>34</sup> Emissions are estimated based on total employee counts to calculate the total amount of waste generated by City employees in a year, assuming 5 work days per week i.e. 260 total work days. Then, total GHG emissions are calculated per SEEC ClearPath tool emission factor of 0.1706 MTCO<sub>2</sub>e/ton of waste.<sup>35</sup>

**Water Consumption:** 2018 water consumption data by street address was obtained from City records. Estimated energy intensity by acre-foot was obtained from LADWP.<sup>36</sup> The City is also served by Beverly Water and Power; however, 2018 water supply data was not readily available. This energy intensity was used to estimate total MWh associated with water consumption in municipal facilities. Emission factors for CO<sub>2</sub>, N<sub>2</sub>O, and CH<sub>4</sub> in pounds per MWh are used to estimate total emissions resulting from municipal water consumption.

Table 10: Other Scope 3 emissions

| Category                 | Scope | Activity                  | Emissions (in MTCO <sub>2</sub> e) |
|--------------------------|-------|---------------------------|------------------------------------|
| Employee Commutes        | 3     | 25,093 Gallons (Gasoline) | 223                                |
| Employee Generated Waste | 3     | 429 Tons                  | 73                                 |
| Water Consumption        | 3     | 62 MWh                    | 14                                 |
| TOTAL                    |       |                           | 310                                |



## Summary

In 2018, municipal GHG emissions from the City of West Hollywood amount to 2,270 MTCO<sub>2e</sub>. Electricity and natural gas consumption in municipal facilities resulted in 67% of the total emissions. Fuel combustion in City-owned fleet and public transit systems resulted in 19% of the emissions, followed by employee generated waste, employee commutes and water consumption which contributed the remaining 14% of the total municipal emissions.




Figure 5: 2018 Municipal GHG Emissions by Source

Table 11: 2018 GHG Emissions

| Category           | Scope   | Emissions (in MTCO <sub>2e</sub> ) |
|--------------------|---------|------------------------------------|
| Electricity        | 2 and 3 | 1312                               |
| Vehicle Fleet      | 1       | 661                                |
| Natural Gas        | 1       | 210                                |
| Waste              | 3       | 73                                 |
| Water + Wastewater | 3       | 14                                 |
| <b>TOTAL</b>       |         | <b>2,270</b>                       |



## Comparing 2008 and 2018 Emissions

### Revising Baseline Inventory

The 2008 community-scale and municipal GHG emissions inventories were developed using the ICLEI US Community Protocol and LGOP, respectively. Both inventories used GWP values from the fourth assessment report by IPCC and included the emission sectors and sub-categories shown in Table 14. Over the past decade, GHG accounting and reporting methodologies have evolved significantly. To comply with the latest standards, the 2018 GHG emissions inventory developed for this Climate Action and Adaptation Plan uses the GPC, with GWP values from IPCC’s fifth assessment report. WeHo Climate Action continues to use LGOP with the most recent GWP values for reporting municipal GHG emissions. The year 2018 was selected as it represents the year with the most complete annual data set for emission sectors and sub-categories shown in Table 14.

Table 12: Emission sectors and sub-categories reported in 2008 and 2018 inventories

| Sectors              | 2008 Sub-categories  | 2018 Sub-categories  |
|----------------------|--|--|
| Stationary Energy    | Electricity Use: <i>Residential, commercial, and municipal</i><br>Natural Gas: <i>Residential, commercial, and municipal</i><br>Street Lights<br>Traffic Control | Electricity Use: <i>Residential, commercial, and municipal</i><br>Natural Gas: <i>Residential, commercial, and municipal</i><br>Street Lights<br>Traffic Control<br>Public EV Charging |
| Transportation       | On-road Mobile Sources   | On-road Transportation<br>Public Transit<br>Vehicle Fleet (municipal)  |
| Waste and Wastewater | Solid Waste to Landfills<br>Wastewater Treatment   | Solid Waste to Landfills and Composting Facilities<br>Wastewater Treatment   |
| Product Use          |  | HFC use: Residential and Commercial  |
| Urban Forestry       |  | Sequestration from Urban Trees   |
| Other Scope 3        | Water Consumption  | Water Supply and Treatment<br>Wastewater Generation<br>Employee Activities: <i>Commute, business travel, waste generation, and water consumption</i>                                   |



Due to differences between the two protocols, emission sectors and sub-categories, data sources, and GWP values, it is not always possible to compare 2008 and 2018 emissions. To ensure consistency in comparing emissions, the 2008 emissions inventory is reorganized and adapted as per the GPC Protocol, to the extent possible. To ensure reliable monitoring in the future, this Climate Action and Adaptation Plan compares GHG emissions to 2008, where relevant but uses 2018 as the baseline year for setting GHG reduction targets.

### **Community-scale GHG Emission Trends**

Community-scale GHG emissions in the 2008 GHG Emissions Inventory were accounted using the U.S. Community Protocol for Accounting and Reporting of Greenhouse Gas Emissions (ICLEI US Community Protocol) with AR4 GWP values. The 2018 GHG emissions inventory has been prepared using the GPC Protocol with AR5 GWP values. To ensure consistency in comparing emissions, the 2008 emissions inventory has been reorganized and adapted as per the GPC Protocol, to the extent possible. Some key observations and limitations of this approach are:

- Both inventories use the same methodology and data sources for accounting emissions from stationary energy, solid waste, water, and wastewater.
- 2008 on-road transportation emissions were accounted using West Hollywood’s 2010 Travel Demand Model, EMFAC 2007 Model, and 2002 National Household Travel Survey (NHTS) produced by the U.S. Department of Transportation.<sup>37</sup> Despite some similarities in this methodology, which also uses the induced activity method, the 2008 VMT and daily emissions from on-road transportation reported in the inventory are much higher than expected, in comparison with the 2018 inventory as well as GHG inventories issued by California jurisdictions circa 2008. Due to lack of complete documentation, it is not possible to verify the data used for 2008 emissions. To allow for one-to-one comparison, Buro Happold recalculated 2008 emissions by backcasting 2008 VMT data based on population with 2008 California fleet average GHG emission standards.<sup>38</sup>
- Emissions from public transit (City and Metro buses) and EV chargers were not included in the 2008 Inventory. Emissions from Metro buses cannot be estimated due to data limitations. There are no reported emissions from City-operated buses and EV chargers in 2008.
- The 2008 emissions inventory does not include product use emissions. HFC emissions in 2008 are estimated by scaling California’s HFC emissions based on population, for the same year.<sup>39 40</sup>
- The methodology and data sources for assessing sequestration from urban trees differs significantly. Sequestration in 2008 was estimated using sequestration rates for new mature trees, whereas the 2018 inventory uses tree canopy data to account for sequestration from all urban trees. Due to data limitations, 2008 sequestration values cannot be adjusted.
- Energy-related emissions from wastewater and water treatment are accounted in the 2008 emissions inventory within their corresponding sectors. In the 2018 inventory, these emissions are reported for informational purposes under other scope 3 emissions.




Table 13: Community-scale emission trends between 2008 and 2018 (in MTCO<sub>2e</sub>)

| Category                                   | 2008 Adapted  | 2018         | Change      |
|--|---------------|--------------|-------------|
| Stationary Energy (Electricity)            | 96,445        | 73,712       | -24%        |
| Stationary Energy (Gas)                    | 90,130        | 54,112       | -40%        |
| On-road Transportation                     | 89,443        | 66,194       | -26%        |
| Product Use                                | 8,077         | 13,090       | 62%         |
| Solid Waste                                | 8,543         | 7,021        | -18%        |
| Wastewater Treatment                       | 636           | 676          | 6%          |
| Urban Trees                                | -255          | -255         | 0%          |
| TOTAL                                      | 293,019       | 214,551      | -27%*       |
| <i>Per Capita Emissions</i>                | <i>8.45</i>   | <i>5.82</i>  |             |
| <i>Water Treatment</i>                     | <i>5,764</i>  | <i>6,125</i> | <i>6%</i>   |
| <i>Wastewater Treatment</i>                | <i>20,305</i> | <i>685</i>   | <i>-97%</i> |
| TOTAL (with Scope 3)                       | 319,088       | 221,361      | -31%*       |
| <i>Per Capita Emissions (with Scope 3)</i> | <i>9.20</i>   | <i>6.01</i>  |             |

\* after adjusting 2008 emissions from transportation and urban trees.

### 2008 to 2018 GHG Emissions Comparison



### Municipal GHG Emission Trends

Since 2008, the City of West Hollywood has decreased its annual emissions by approximately 726 MT CO<sub>2e</sub>, or 24%. Since emissions from vehicle fleet, waste, and water were not calculated in 2008, it is not possible to compare emissions across these sources. There was a significant drop in emissions generated by electricity usage – which is the biggest contributor to municipal emissions overall. Emissions from this source are more than halved, with a 55% reduction over the 10 years. However natural gas usage increased by four times during this period. This trend is expected to continue as the new Aquatics Recreation Center will have two pools (instead of one) and approximately three times the total water volume, and these pools will be heated by natural gas.

Table 14: Municipal GHG emission trends between 2008 and 2018 (in MTCO<sub>2e</sub>)

| Category      | 2008 | 2018 | Change             |
|---------------|------|------|--------------------|
| Electricity   | 2950 | 1312 | -55%               |
| Vehicle Fleet | 0    | 661  | Cannot be compared |
| Natural Gas   | 52   | 210  | 305%               |
| Waste         | 0    | 73   | Cannot be compared |

|                    |             |             |                    |
|--------------------|-------------|-------------|--------------------|
| Water + Wastewater | 0           | 14          | Cannot be compared |
| <b>TOTAL</b>       | <b>3002</b> | <b>2270</b> | <b>-24%</b>        |

### 2008 to 2018 GHG Emission Trends




Figure 7: Municipal GHG Emissions in 2008 and 2018



## Part II: Emission Scenarios and Pathways

GHG emission scenarios (or projections) provide an estimate of future emission levels based on continuation of existing trends in demographic growth, activity or resource consumption, technology changes, legislation, and/or citywide programs. Examining the impacts of technology and policy deployment on future emission levels helps us to: 1) understand the gap between projected emissions and long-term reduction targets; 2) identify areas that need significant programmatic interventions and investments; and 3) define the scale and pace for implementing mitigation pathways. This section groups sector-specific policy and activity data under three emission scenarios:

- **Business-as-usual (BAU) Scenario:** The BAU scenario projects future emissions based on current population and regional growth trends, climate patterns, and regulations introduced before the 2018 baseline year. BAU projections demonstrate the expected growth in GHG emissions if no further action is taken by the City or State after 2018.
- **Business-as-planned (BAP) Scenario:** BAP projections use the same growth assumptions as the BAU scenario but also account for emissions reduced from existing and proposed regulations, that were introduced between the 2018 baseline year and 2021 CAAP release. The BAP scenario demonstrates a more realistic emission trajectory as it accounts for State and local actions that are already in the pipeline.
- **Carbon Neutrality (CN) Scenario:** CN scenario builds on BAP projections and estimates the emission reduction potential of relevant measures and sub-actions proposed in this CAAP. CN projections demonstrate sector-specific pathways to achieve carbon neutrality by 2035.

### IMPACT OF COVID-19 PANDEMIC

The ongoing pandemic has affected our lives, livelihoods, behavior, and daily economic activity. These changes have altered GHG emission patterns in 2020 and 2021 across various emission categories discussed in this report. Based on our current understanding of economic shutdowns in the City of West Hollywood, it is safe to assume that COVID-19 led to significant shifts in building energy use, building occupancy, commute patterns, transportation modes, and residential and commercial waste composition and volumes. In the context of this CAAP, emission reductions in building and transportation sectors are more evident than others. For example, building energy demand in commercial and institutional buildings decreased due to closure of businesses and offices but energy demand in homes and multifamily buildings may have increased as most residents stayed at home. Similarly, transportation emissions from passenger vehicles may have decreased as fewer residents commuted to work, but these emissions may increase if residents prefer passenger vehicles over public transit in the near future.

Covid-19 may have resulted in lower emissions in 2020, but it is very challenging to quantify the mitigation benefits without real activity data (e.g. electricity, gas, fuels, and waste), which is unavailable as of April 2021. It is important to note that these short-term reductions are likely temporary and there are already signs of recovery which may bring emissions back to pre-pandemic levels. Mitigating global climate change requires sustained reductions in greenhouse gas emissions induced by human activity.

More importantly, emission reductions achieved during the pandemic are a consequence of economic disruptions and personal hardships. These temporary reductions are not a celebration of the City’s decarbonization progress and are therefore not accounted towards any of the scenarios in this CAAP. The CAAP considers opportunities and challenges related to Covid-19 in the implementation timeline to catalyze economic recovery while addressing climate change.

## BAU Scenario

### Demographic Growth

Demographic, household, and employment changes are often relied upon for scaling and extrapolating GHG emissions. For this reason, modelling various growth patterns of community characteristics is an important first step in establishing the business-as-usual scenario.

Between 2008 and 2018, West Hollywood’s population grew from 34,681 to 36,854. This average growth rate of 0.61% per year is expected to increase slightly moving forward, to an average of 0.65% between 2018 and 2035. By 2035, total population in West Hollywood is projected to hover around 40,550 people, corresponding to an increase of about 3,700 from 2018’s population (Figure 8).




Figure 8: Projected population growth in West Hollywood



The City of West Hollywood is a dense and built-out urban community. A vast majority of the City’s housing stock was constructed between 1950s and 1970s, and over 76% of the building stock in West Hollywood has not been renovated since 1978.<sup>41</sup> Compared to other cities in California, the City of West Hollywood has seen a very slow rate of growth, which is largely due to the fact that there is little vacant land available for development. Nearly all the development that has occurred in the past decades is a result of existing buildings being replaced with new ones, and this trend is likely to continue to occur into the future.<sup>42</sup> It is anticipated that land use growth will have a limited impact on future energy consumption patterns.




Figure 9: Building age in West Hollywood

### Stationary Energy

The BAU scenario for stationary energy is based on population growth, assumed retrofits to the existing building stock, and changing climatic patterns (i.e. number of heating and cooling degree days) which collectively determine future heating and cooling energy demand profiles.<sup>43 44</sup> The rate of change in space heating and cooling demands is informed by the CEC’s heating and cooling load projections for the Los Angeles County Region under the IPCC’s RCP 4.5 scenario.<sup>45</sup> These projections also account for the State’s Title 24 Building Energy Efficiency Standards and Senate Bill (SB) 350 that will affect energy efficiency rates in new construction and existing buildings, respectively.

Table 15: Space heating and cooling load projections

| Parameter                            | Unit   | Rate of Change <sup>46</sup> | 2018 Energy Demand | 2035 Energy Demand |
|--------------------------------------|--------|------------------------------|--------------------|--------------------|
| Residential: Heating Load Projection | therms | -0.471%                      | 2,414,624          | 2,452,092          |

|                                      |        |         |            |            |
|--------------------------------------|--------|---------|------------|------------|
| Residential: Cooling Load Projection | kWh    | 0.457%  | 7,139,689  | 8,489,212  |
| Commercial: Heating Load Projection  | therms | -0.280% | 1,326,363  | 1,391,449  |
| Commercial: Cooling Load Projection  | kWh    | 0.535%  | 32,555,388 | 39,223,040 |

Between 2018 and 2035, electricity usage is expected to increase by over 11% in both residential and non-residential buildings, predominantly due to increased demand in space cooling and population growth. However, electricity emissions from residential buildings will decrease by 4.8% and non-residential buildings will decrease by 3.9% due to lower grid emissions factors. Electricity emission factors are assumed to decline pursuant to statewide legislation of the Renewable Portfolio Standard and SB 350. Under these standards, SCE’s renewable mix needs to increase from 32% in 2017 to 50% by 2030.<sup>47</sup> Electricity emission factors between 2030 and 2035 are assumed to remain constant.




Figure 10: Grid emission factor

Emissions from natural gas use are expected to increase by 7.3% due to population growth and total demand increases, despite decreasing needs for space heating on a per-square foot basis due to a warming climate. Building emissions associated with lighting, water heating, and other applications are expected to increase with population growth, although the increase in electricity demand will be partially offset by a lower carbon intensity grid. Therefore, stationary energy emissions under BAU scenario are expected to increase by 1% between 2018 and 2035.



Table 16: Stationary Energy BAU Summary

| Parameter                 | Units  | 2008        | 2018        | 2025        | 2035        |
|---------------------------|--------|-------------|-------------|-------------|-------------|
| Natural Gas Consumption   | therms | 16,968,905  | 10,169,865  | 10,392,329  | 10,917,155  |
| Residential Buildings     | therms | 7,774,104   | 6,526,011   | 6,656,839   | 6,975,800   |
| <i>Single-Family</i>      | therms | 1,034,460   | 868,383     | 885,792     | 928,234     |
| <i>Space Heating</i>      | therms | 382,750     | 321,302     | 320,956     | 326,287     |
| <i>Water Heating</i>      | therms | 506,886     | 425,508     | 439,316     | 468,181     |
| <i>Other</i>              | therms | 144,824     | 121,574     | 125,519     | 133,766     |
| Multi-Family              | therms | 6,739,644   | 5,657,628   | 5,771,047   | 6,047,566   |
| <i>Space Heating</i>      | therms | 2,493,668   | 2,093,322   | 2,091,072   | 2,125,804   |
| <i>Water Heating</i>      | therms | 3,302,426   | 2,772,238   | 2,862,203   | 3,050,259   |
| <i>Other</i>              | therms | 943,550     | 792,068     | 817,772     | 871,503     |
| Non-residential Buildings | therms | 9,194,801   | 3,643,854   | 3,735,490   | 3,941,355   |
| <i>Space Heating</i>      | therms | 3,346,907   | 1,326,363   | 1,342,791   | 1,391,449   |
| <i>Water Heating</i>      | therms | 2,923,947   | 1,158,746   | 1,196,350   | 1,274,953   |
| <i>Other</i>              | therms | 2,923,947   | 1,158,746   | 1,196,350   | 1,274,953   |
| Electricity Consumption   | kWh    | 319,028,937 | 320,488,095 | 332,282,788 | 356,347,947 |
| Residential Buildings     | kWh    | 96,213,134  | 101,995,561 | 105,490,046 | 112,719,614 |
| <i>Space Heating</i>      | kWh    | 1,539,410   | 1,631,929   | 1,630,174   | 1,657,252   |
| <i>Water Heating</i>      | kWh    | 2,886,394   | 3,059,867   | 3,159,167   | 3,366,734   |
| <i>Space Cooling</i>      | kWh    | 6,734,919   | 7,139,689   | 7,610,590   | 8,489,212   |
| <i>Other</i>              | kWh    | 85,052,410  | 90,164,076  | 93,090,115  | 99,206,417  |
| Non-residential Buildings | kWh    | 222,815,804 | 218,492,534 | 226,792,742 | 243,628,333 |
| <i>Space Heating</i>      | kWh    | 3,565,053   | 3,495,881   | 3,539,179   | 3,667,426   |



|                       |                    |             |             |             |             |
|-----------------------|--------------------|-------------|-------------|-------------|-------------|
| <i>Water Heating</i>  | kWh                | 2,005,342   | 1,966,433   | 2,030,248   | 2,163,642   |
| <i>Space Cooling</i>  | kWh                | 33,199,555  | 32,555,388  | 34,891,644  | 39,223,040  |
| <i>Other</i>          | kWh                | 184,045,854 | 180,474,833 | 186,331,671 | 198,574,224 |
| Natural Gas Emissions | MTCO <sub>2e</sub> | 90,130      | 54,112      | 55,472      | 58,544      |
| Electricity Emissions | MTCO <sub>2e</sub> | 96,445      | 73,712      | 71,134      | 70,612      |
| Total Emissions       | MTCO <sub>2e</sub> | 186,575     | 127,824     | 126,606     | 129,156     |

## Transportation

**Passenger Vehicles and Trucks:** BAU projections from passenger vehicles are estimated using the 2017 Travel Demand Model, 2016 SCAG RTP/SCS model, and 2017 EMFAC model. The SCAG model 2017 Travel Demand Model accounts for population and job growth and provides VMT by passenger cars, light-, and medium-duty trucks through the year 2035. Under this scenario, it is assumed that mode share between 2018 and 2035 remains constant.<sup>48</sup> GHG emissions are calculated using emission factors from 2017 EMFAC model corresponding to the respective SCAG model year and are estimated to increase by 11.8%.<sup>49</sup> The EMFAC model accounts for the following federal and state regulations:

- Pavley Clean Car Standards: Establishes GHG emission reduction standards for model years 2009 through 2016 that are more stringent than federal corporate average fuel economy (CAFE) standards.
- Advanced Clean Cars: Establishes GHG emission reduction standards for model years 2017 through 2025, that are more stringent than CAFE standards.
- Fuel Efficiency Standards for Medium- and Heavy-Duty Engines and Vehicles: Establishes Federal fuel efficiency standards for medium and heavy-duty engines and vehicles.

The BAU scenario further assumes that the number of EV chargers and GHG emissions associated with EV charging remain constant between 2018 to 2035. EV related emissions are not included in the transportation BAU projections to avoid double counting with electricity emissions under Stationary Energy.

**Buses:** GHG emissions from Metro buses are scaled by extrapolating ridership statistics between 2010 and 2018 and are expected to increase by 21.9% by 2035. It is assumed that West Hollywood's share of Metro riders remains constant between 2018 and 2035. Emissions from City line and Dial-A-Ride are assumed to be constant between 2019 and 2035.

Overall, transportation emissions from cars and buses are expected to increase by 14.0% between 2018 and 2035. The rate of change decreases over time due to improvements in fuel efficiency.



Table 17: Transportation BAU Summary

| Parameter                   | Units              | 2008          | 2018          | 2025          | 2035          |
|-----------------------------|--------------------|---------------|---------------|---------------|---------------|
| Daily Passenger Miles       | Miles              | 966,596       | 1,010,330     | 1,012,495     | 1,146,376     |
| Metro Ridership             | Bus miles          | 1,495,960,390 | 1,143,144,015 | 1,386,296,874 | 1,393,142,784 |
| Passenger Vehicle Emissions | MTCO <sub>2e</sub> | 84,442        | 62,089        | 64,174        | 70,359        |
| Bus Emissions               | MTCO <sub>2e</sub> | 5,002         | 4,105         | 4,955         | 4,978         |
| Metro Emissions             | MTCO <sub>2e</sub> | 5,002         | 3,822         | 4,635         | 4,658         |
| City Bus Emissions          | MTCO <sub>2e</sub> | 0             | 283           | 320           | 320           |
| Total Emissions             | MTCO <sub>2e</sub> | 89,443        | 66,194        | 69,129        | 75,337        |

### Product Use

GHG emissions from consumption of ozone-depleting substances (ODS) such as aerosols, fire retardants, and refrigerants in residential and commercial sectors are estimated using California’s HFC phasedown projections.<sup>50 51</sup> These projections estimate HFC use based on statewide population growth, CARB’s refrigerant management programs, and account for existing CARB measures and EPA regulations in line with the 1987 Montreal Protocol.<sup>52</sup> BAU projections for the City of West Hollywood are scaled based on population growth. Emissions from product use is expected to increase by 68% in the residential sector and by 34% in the commercial sector.

Table 18: Product Use BAU summary

| Parameter       | Units              | 2008  | 2018   | 2025   | 2035   |
|-----------------|--------------------|-------|--------|--------|--------|
| Residential     | MTCO <sub>2e</sub> | 2,765 | 4,562  | 6,234  | 7,676  |
| Commercial      | MTCO <sub>2e</sub> | 5,312 | 8,528  | 9,975  | 11,417 |
| Total Emissions | MTCO <sub>2e</sub> | 8,077 | 13,090 | 16,210 | 19,093 |

### Waste and Wastewater

**Waste:** Between 2018 to 2035, solid waste emissions from the City of West Hollywood would increase by 10%, consistent with population growth in the City. Under the BAU scenario, solid waste disposal to landfill will increase from 23,890 tons in 2018 to 26,286 tons in 2035. The tonnage of solid waste composted would increase from 4,492 tons in 2018 to 4,942 tons in 2035. It is assumed that the waste composition remains the same between 2018 and 2035. Therefore, emission factors for waste landfilled and waste composted are assumed to remain constant between 2018 and 2035.



**Wastewater:** Process emissions from wastewater treatment are projected based on population growth in the City of West Hollywood. The emission factor for wastewater treatment is assumed to be constant. Based on this assumption, GHG emissions increase from 676 MTCO<sub>2e</sub> in 2018 to 744 MTCO<sub>2e</sub> in 2035.

Table 19: Waste and Wastewater Summary

| Sector                     | Units              | 2008   | 2018   | 2025   | 2035   |
|----------------------------|--------------------|--------|--------|--------|--------|
| Inorganic Waste Tonnage    | tons/year          | 31,211 | 23,890 | 24,665 | 26,286 |
| Organic Waste Tonnage      | tons/year          | 0      | 4,492  | 4,637  | 4,942  |
| Wastewater Volume          | HCF/year           | 2,238  | 1,806  | 1,865  | 1,987  |
| Waste Landfilled Emissions | MTCO <sub>2e</sub> | 8,543  | 6,835  | 7,057  | 7,521  |
| Waste Composted Emissions  | MTCO <sub>2e</sub> | 0      | 186    | 192    | 205    |
| Wastewater Emissions       | MTCO <sub>2e</sub> | 636    | 676    | 698    | 744    |
| Total Emissions            | MTCO <sub>2e</sub> | 9,179  | 7,697  | 7,947  | 8,469  |

### Urban Trees

Sequestration from urban trees in the City of West Hollywood is constant at -255 MTCO<sub>2e</sub> between 2018 and 2035, assuming there no net gain or loss in urban tree canopy.

### Other Scope 3 Emissions

Electricity consumption from water and wastewater treatment is extrapolated based on population growth in the City of West Hollywood. Grid emission factors are assumed to decline, pursuant to statewide legislation of the RPS and SB 350 and are assumed to remain constant thereafter. Based on these assumptions, electricity related GHG emissions from water supply and wastewater treatment are projected to decrease by 47%, each.

Table 20: Other Scope 3 emissions summary

| Sector                                    | Units              | 2008       | 2018       | 2025       | 2035       |
|---|--------------------|------------|------------|------------|------------|
| Water Supply                              | MTCO <sub>2e</sub> | 5,764      | 6,125      | 5,455      | 2,818      |
| Electricity Used for Water Supply         | kWh                | 19,066,647 | 26,631,103 | 25,482,119 | 14,219,099 |
| Wastewater Treatment                      | MTCO <sub>2e</sub> | 20,305     | 685        | 610        | 315        |
| Electricity Used for Wastewater Treatment | kWh                | 67,166,803 | 2,976,361  | 2,847,948  | 1,589,163  |



|                 |  |        |       |       |       |
|-----------------|--|--------|-------|-------|-------|
| Total Emissions |  | 26,069 | 6,810 | 6,065 | 3,132 |
|-----------------|--|--------|-------|-------|-------|

### BAU Summary

Based on these assumptions, total GHG emissions from West Hollywood’s community-wide activities are projected to increase from 0.221 Million MTCO<sub>2e</sub> in 2018 to 0.235 Million MTCO<sub>2e</sub> in 2035. If no other actions are taken, the City’s per capita GHG emissions will decrease by 3.5% to 5.79 MTCO<sub>2e</sub> per capita by 2035. Per capita emissions are expected to decrease slightly despite an increase in total emissions because of the anticipated population growth. The energy and transportation sectors remain the largest contributors of emissions, making up 87.0% of total emissions in 2035. The next largest contributing sector is product use, which accounts for an additional 8.1% of 2035 emissions. The final 4.9% of emissions come from the waste and wastewater sector as well as other scope 3 emissions. Lastly, the urban forestry sector accounts for a small amount of sequestration.

Table 21: BAU summary

| Sector                      | Unit                     | 2008           | 2018           | 2025           | 2035           |
|-----------------------------|--------------------------|----------------|----------------|----------------|----------------|
| Stationary Energy           | MTCO <sub>2e</sub>       | 186,575        | 127,824        | 126,606        | 129,156        |
| Transportation              | MTCO <sub>2e</sub>       | 89,443         | 66,194         | 69,129         | 75,337         |
| Waste and Wastewater        | MTCO <sub>2e</sub>       | 9,179          | 7,697          | 7,947          | 8,469          |
| Product Use                 | MTCO <sub>2e</sub>       | 8,077          | 13,090         | 16,210         | 19,093         |
| Urban Trees                 | MTCO <sub>2e</sub>       | -255           | -255           | -255           | -255           |
| Other Scope 3               | MTCO <sub>2e</sub>       | 26,069         | 6,810          | 6,065          | 3,132          |
| <b>Total GHG Emissions</b>  | <b>MTCO<sub>2e</sub></b> | <b>319,088</b> | <b>221,361</b> | <b>225,702</b> | <b>234,933</b> |
| Change from Baseline (2018) | %                        | -              | -              | +2.0%          | +6.2%          |
| Per Capita Emissions        | MTCO <sub>2e</sub>       | 9.20           | 6.01           | 5.93           | 5.79           |

### BAP Scenario

#### Stationary Energy

In February 2019, the City of West Hollywood joined the Clean Power Alliance (CPA), a community choice aggregator that provides renewable power to Southern California Communities. The City enrolled in CPA’s Green Power option, which provides 100% renewable energy to customers by default. In 2019, 97.7% of residential customers and 96.9% of non-residential customers were enrolled in the Green Power Program. Customers who choose to opt out will continue to receive electricity from SCE.



Under the BAP Scenario, GHG emissions from electricity consumption in residential and non-residential buildings drops from 73,712 MTCO<sub>2e</sub> in 2018 to 2,118 MTCO<sub>2e</sub> in 2019. Electricity-related emissions from customers who have opted out of CPA, decreases from 23,459 MTCO<sub>2e</sub> in 2019 to 111 by 2035. This reduction occurs in alignment with SB 100, which requires that 100 percent of electricity retail sales to California end-use customers are sourced from eligible renewable energy resources and zero-carbon resources by 2045. It is estimated that by 2035 73% of California’s electricity will come from renewable energy sources.

BAP emission projections for natural gas consumption in residential and non-residential buildings are assumed to remain the same as the BAU scenario. Overall, GHG emissions from stationary energy use are expected to decline by 53.9% by 2035.

Table 22: Stationary Energy BAP Summary

| Parameter                 | Unit               | 2008        | 2018        | 2025        | 2035        |
|---------------------------|--------------------|-------------|-------------|-------------|-------------|
| Natural Gas Consumption   | therms             | 16,968,905  | 10,169,865  | 10,392,329  | 10,917,155  |
| Residential Buildings     | therms             | 7,774,104   | 6,526,011   | 6,656,839   | 6,975,800   |
| Non-residential Buildings | therms             | 9,194,801   | 3,643,854   | 3,735,490   | 3,941,355   |
| Electricity Consumption   | kWh                | 319,028,937 | 320,488,095 | 332,282,788 | 356,347,947 |
| Residential Buildings     | kWh                | 96,213,134  | 101,995,561 | 105,490,046 | 112,719,614 |
| Non-residential Buildings | kWh                | 222,815,804 | 218,492,534 | 226,792,742 | 243,628,333 |
| Natural Gas Emissions     | MTCO <sub>2e</sub> | 90,130      | 54,112      | 55,472      | 58,544      |
| Residential Buildings     | MTCO <sub>2e</sub> | 41,292      | 34,724      | 35,420      | 37,117      |
| Non-residential Buildings | MTCO <sub>2e</sub> | 48,838      | 19,388      | 20,053      | 21,427      |
| Electricity Emissions     | MTCO <sub>2e</sub> | 96,445      | 73,712      | 1,318       | 424         |
| Residential Buildings     | MTCO <sub>2e</sub> | 29,086      | 23,459      | 346         | 111         |
| Non-residential Buildings | MTCO <sub>2e</sub> | 67,359      | 50,253      | 972         | 313         |
| Residential Emissions     | MTCO <sub>2e</sub> | 70,378      | 58,183      | 35,766      | 37,228      |
| Non-residential Emissions | MTCO <sub>2e</sub> | 116,197     | 69,642      | 21,025      | 21,740      |
| Total Emissions           | MTCO <sub>2e</sub> | 186,575     | 127,824     | 56,790      | 58,968      |





## Transportation

**Passenger Vehicles and Trucks:** Same as BAU.

**Buses:** Under BAP Scenario, it is assumed that all Metro buses are transitioned to zero-emission buses (ZEB) by 2030, in line with Metro’s commitments. GHG emissions from electricity consumption by ZEBs are estimated using countywide grid emission factors. It is further assumed that the County’s electricity supply will be around 73% zero-carbon by 2035, pursuant to SB100, thus eliminating electricity-related emissions from ZEBs. It is assumed that all City buses and transit services will be electric by 2030. GHG emissions from electricity consumption in City ZEBs will decline to zero, as the City continues to receive 100% renewable electricity from the CPA through 2035.

Table 23: Transportation BAP Summary

| Parameter                               | Unit               | 2008    | 2018      | 2025      | 2035      |
|---|--------------------|---------|-----------|-----------|-----------|
| Passenger Vehicles and Trucks Emissions | MTCO <sub>2e</sub> | 84,442  | 62,089    | 64,174    | 70,359    |
| Vehicle Miles                           | daily miles        | 966,596 | 1,010,330 | 1,007,524 | 1,146,376 |
| EV Chargers                             | kWh                | 0       | 107,543   | 107,543   | 107,543   |
| Bus Emissions                           | MTCO <sub>2e</sub> | 5,002   | 4,105     | 3,726     | 2,209     |
| Buses: Metro                            | MTCO <sub>2e</sub> | 5,002   | 3,822     | 3,406     | 1,888     |
| Buses: City-operated                    | MTCO <sub>2e</sub> | 0       | 283       | 320       | 320       |
| Total Emissions                         | MTCO <sub>2e</sub> | 89,443  | 66,194    | 67,900    | 72,568    |

## Product Use

Same as BAU Scenario.

## Waste and Wastewater

**Waste:** Under the BAP scenario, solid waste emissions from the City of West Hollywood would decrease by 33%, in line with Athens Services’ waste diversion targets. Per Athens commitments, the City will divert 60% of solid waste by 2025 and 70% by 2030.<sup>53</sup> Solid waste disposal to landfill will decrease from 23,890 tons in 2018 to 15,803 tons in 2035. The tonnage of solid waste composted would increase from 4,492 tons in 2018 to 6,905 tons in 2035. In this scenario, it is assumed that the waste composition and emission factors remain the same between 2018 and 2035.

**Wastewater:** Same as BAU Scenario.



Athens operates three services for collecting recyclables, yard waste, and rubbish from single and multi-family residences. Athens also operates various Material Recovery Facilities for managing commercial food waste, recyclables, and C&D debris. Under the 2014 Integrated Solid Waste Management Services Agreement, Athens committed to increase the overall hauler diversion rates to 50% by 2020, 60% by 2025, and 70% by 2030. To achieve these targets, Athens will introduce public education and recycling programs for bulky waste, improve commodity recovery from residential and commercial waste streams, and use anaerobic digestion and new recycling technologies.

Table 24: Waste BAP Summary

| Parameter                                 | Unit                | 2008   | 2018   | 2025   | 2035   |
|---|---------------------|--------|--------|--------|--------|
| Solid Waste Disposal                      | MTCO <sub>2</sub> e | 8,543  | 6,835  | 5,657  | 4,521  |
| Waste Landfilled                          | tons/year           | 31,211 | 23,890 | 19,772 | 15,803 |
| Biological Treatment of Solid Waste       | MTCO <sub>2</sub> e | 0      | 186    | 230    | 286    |
| Waste Composted                           | tons/year           | 0      | 4,492  | 5,554  | 6,905  |
| Wastewater Treatment (Process + Biogenic) | MTCO <sub>2</sub> e | 636    | 676    | 698    | 744    |
| Wastewater Generation                     | HCF/year            | 2,238  | 1,806  | 1,865  | 1,987  |
| Total Emissions                           | MTCO <sub>2</sub> e | 9,179  | 7,697  | 6,585  | 5,551  |

### Urban Trees

Same as BAU Scenario.

### Other Scope 3 Emissions

Like the BAU Scenario, electricity consumption from water and wastewater treatment is extrapolated based on population growth in the City of West Hollywood. Pursuant to SB100, grid emission factors are assumed to decline to zero by 2045. Based on these assumptions, both electricity related GHG emissions from water supply and emissions from wastewater are projected to decrease by 63% by 2035.

Table 25: Other Scope 3 BAP Summary

| Parameter                          | Unit                | 2008   | 2018  | 2025  | 2035  |
|------------------------------------|---------------------|--------|-------|-------|-------|
| Water Supply and Treatment         | MTCO <sub>2</sub> e | 5,764  | 6,125 | 4,537 | 2,269 |
| Wastewater Treatment (Electricity) | MTCO <sub>2</sub> e | 20,305 | 685   | 507   | 254   |



|                   |                    |        |       |       |       |
|-------------------|--------------------|--------|-------|-------|-------|
| Water Consumption | HCF/year           | 2,238  | 1,806 | 1,865 | 1,987 |
| Total Emissions   | MTCO <sub>2e</sub> | 26,069 | 6,810 | 5,044 | 2,523 |

### BAP Summary

Based on these assumptions, total GHG emissions from West Hollywood’s community-wide activities are projected to decrease from 0.22 Million MTCO<sub>2e</sub> in 2018 to 0.16 MTCO<sub>2e</sub> in 2035. Under this scenario, the City’s per capita GHG emissions will decrease by 35% (compared to 2018 levels) to 3.91 MTCO<sub>2e</sub> per capita. The energy and transportation sectors remain the largest contributors of emissions, making up 83.0% of total emissions in 2035. The next largest contributing sector is product use, which accounts for an additional 12.1% of 2035 emissions. The final 4.9% of emissions come from the waste and wastewater sector since other scope 3 emissions drop to zero. Lastly, the urban forestry sector accounts for a small amount of sequestration.

Table 26: BAP Summary

| Sector                       | Unit                     | 2008           | 2018           | 2025           | 2035           |
|------------------------------|--------------------------|----------------|----------------|----------------|----------------|
| Stationary Energy            | MTCO <sub>2e</sub>       | 186,575        | 127,824        | 56,790         | 58,968         |
| Transportation               | MTCO <sub>2e</sub>       | 89,443         | 66,194         | 67,900         | 72,568         |
| Waste and Wastewater         | MTCO <sub>2e</sub>       | 9,179          | 7,697          | 6,585          | 5,551          |
| Product Use                  | MTCO <sub>2e</sub>       | 8,077          | 13,090         | 16,210         | 19,093         |
| Urban Trees                  | MTCO <sub>2e</sub>       | -255           | -255           | -255           | -255           |
| Other Scope 3                | MTCO <sub>2e</sub>       | 26,069         | 6,810          | 5,044          | 2,522          |
| <b>Total GHG Emissions</b>   | <b>MTCO<sub>2e</sub></b> | <b>319,088</b> | <b>221,361</b> | <b>152,274</b> | <b>158,447</b> |
| Change from Base Year (2018) | %                        | -              | -              | -31%           | -54%           |
| Per Capita Emissions         | MTCO <sub>2e</sub>       | 9.20           | 6.01           | 4.00           | 3.91           |



## Carbon Neutrality Scenario

### Transportation

**Passenger Vehicles and Trucks:** CN projections from passenger vehicles are estimated using population growth and VMT forecasts in the BAP scenario, but with the addition of CAAP measures and sub-actions. With the implementation of transportation related CAAP measures, the City of West Hollywood is expected to reduce sector emissions by 41% by 2035 (compared to 2018 baseline). This is primarily achieved through measures and sub-actions that shift mode share, reduce trips and miles driven in single occupancy vehicles, and increasing the proportion of electric and zero emission vehicles on the road. With major shifts from gasoline and diesel to electric energy sources, electricity demand is expected to increase to 24.8 GWh within the City by 2035. This makes grid modernization and CPA enrollment critical components of the path to carbon neutrality in the transportation sector.

**Buses:** The CN Scenario for emissions from buses is the same as BAP. It is assumed that all Metro buses are transitioned to zero-emission buses (ZEB) by 2030, and that the County’s electricity will gradually transition to carbon free by 2045 (SB100). It is assumed that 60% of City buses are transitioned to ZEBs by 2025 and the entire fleet will be transitioned to ZEBs by 2030. GHG emissions from electricity consumption in City ZEBs will decline to zero as the City continues to receive 100% renewable electricity from CPA through 2035.

The following CAAP sub-actions are critical for the CN scenario:

- TM-1: Increase sustainable mode share in West Hollywood (Walking, Bicycling, Transit).
- TM-2: Promote zero and near zero carbon transportation.
- TM-3: Rethink curb space and parking assets.
- TM-4: Implement transportation demand management (TDM) solutions.

Table 27: CN Transportation Targets

| CAP Measures and Sub Actions | 2025 CN  | 2035 CN  |
|------------------------------|--|--|
| TM-1                         | Achieve a mode shift of 20% from SOV to zero emission public transit and active transit by 2028.   | Achieve a mode share of 50% of all trips made by zero emission public transit and active transport.                                    |
| TM-2                         | Achieve 35% sales target for EV/ZEV vehicles and 8% EV stock.<br><br>Achieve 25% zero emission city-operated bus fleet.                                      | Achieve 100% sales target for EV/ZEV vehicles and 50% EV stock.<br><br>Achieve 100% zero emission city-operated bus fleet.             |
| TM-3                         | Achieve 35% EV ready spaces for new construction and major renovations (large multifamily and non-residential buildings) to facilitate future conversations. | Achieve 50% EV ready spaces for new construction (large multifamily and non-residential buildings) to facilitate future conversations. |

|      |  |  |
|------|--|--|
| TM-4 |  | Achieve 75% of identified range for VMT and trip reduction (for actions not already included in other measures). |
|------|--|--|

Table 28: Transportation CN Summary

| Parameter                                | Units              | 2008    | 2018      | 2025    | 2035    |
|--|--------------------|---------|-----------|---------|---------|
| <b>Passenger Vehicle Emissions</b>       | MTCO <sub>2e</sub> | 84,442  | 62,089    | 52,809  | 37,189  |
| <b>Daily Miles</b>                       | Miles              | 966,596 | 1,010,330 | 761,301 | 515,372 |
| <b>Daily VMT Per Capita</b>              | Vehicle Miles      | 27.9    | 27.4      | 20.0    | 12.7    |
| <b>EV/ZEV Passenger Cars</b>             | Percent            | 0%      | 3%        | 11%     | 42%     |
| <b>Bus and Municipal Fleet Emissions</b> | MTCO <sub>2e</sub> | 5,002   | 4,105     | 3,646   | 1,888   |
| <b>Metro Emissions</b>                   | MTCO <sub>2e</sub> | 5,002   | 3,818     | 3,406   | 1,888   |
| <b>City Bus Emissions</b>                | MTCO <sub>2e</sub> | 0       | 282       | 240     | 0       |
| <b>TOTAL</b>                             | MTCO <sub>2e</sub> | 89,443  | 66,194    | 56,455  | 39,078  |




Figure 11: Transportation Emission Projections and Pathways



## Stationary Energy

The CN scenario for stationary energy is based on population growth, climate projections, state regulations and standards (SB 350 and Title 24), as well as proposed CAAP measures. Since CPA enrollment guarantees 100% renewable energy, natural gas is the only remaining source of emissions from residential and non-residential buildings. Sector-specific CAAP measures are assumed to reduce emissions through building electrification (shifting from natural gas to electric systems), energy efficiency improvements, and increases in electricity supplied from renewable sources. Building electrification also doubles as an efficiency improvement measure, as electric heat pumps (for space and water heating and clothes drying) and cooking appliances are nearly twice as efficient as their natural gas counterparts.

The following CAAP sub-actions apply to the stationary energy CN scenario:

- EN-1: Improve energy performance, decarbonize and improve energy resilience of the existing building stock.
- EN-3: Decarbonize the future building stock and implement best practices in sustainable and resilient new construction.

Through efficiency improvements, building electrification, and grid electricity supplied by 100% renewable sources, it is assumed that emissions from stationary sources can be reduced by 94% by 2035. Under this pathway, natural gas consumption drops from around 10 million therms in 2018 to about 1.4 million therms in 2035. As a result of building electrification, electricity consumption increases from 320.5 GWh in 2018 to 437.2 GWh in 2035 – a 36.4% increase from baseline.

Table 29: Stationary Energy Targets

| CAP Measures and Sub Actions | 2025 CN  | 2035 CN   |
|------------------------------|--|---|
| EN-1                         | <p>Achieve 20% electrification for residential and non-residential buildings. Reduce residential EUI by 15% and non-residential EUI by 20% compared to 2008 baseline.</p> <p>Reach 99.5% CPA enrollment.</p> | <p>Achieve 80% electrification for residential and non-residential buildings. Reduce residential EUI by 35% and non-residential EUI by 40% compared to 2008 baseline.</p> <p>Reach 100% CPA enrollment.</p> |
| EN-3                         | Meet or exceed CALGreen Standards  | Meet or exceed CALGreen Standards   |

Table 30: Stationary Energy Emission Pathways

| CAP Measures and Sub Actions     | Units              | 2025 CN     | 2035 CN     |
|----------------------------------|--------------------|-------------|-------------|
| <b>Residential Emissions</b>     | MTCO <sub>2e</sub> | 21,334      | 4,816       |
| <b>Electricity</b>               | kWh                | 124,994,658 | 165,861,460 |
| <b>Natural Gas</b>               | therms             | 3,994,103   | 906,854     |
| <b>Electrification</b>           | %                  | 20%         | 80%         |
| <b>EUI Reduction</b>             | %                  | 15%         | 35%         |
| <b>Non-Residential Emissions</b> | MTCO <sub>2e</sub> | 12,139      | 2,512       |
| <b>Electricity</b>               | kWh                | 237,737,768 | 271,344,049 |
| <b>Natural Gas</b>               | therms             | 2,241,294   | 472,963     |
| <b>Electrification</b>           | %                  | 20%         | 80%         |
| <b>EUI Reduction</b>             | %                  | 15%         | 45%         |
| <b>Total Emissions</b>           | MTCO <sub>2e</sub> | 33,474      | 7,327       |




Figure 12: Stationary Energy Emission Projections and Pathways



## Waste and Wastewater

While there are several State-level waste mandates, the basis for the modelling assumption are Assembly Bill 341 and SB 1383. AB 341 sets a target for a diversion rate of at least 75% of solid waste generated be source reduced, recycled, or composted by the year 2020.<sup>54</sup> Senate Bill 1383 establishes targets to achieve a 50% reduction in the level of state-wide landfill disposal of organic waste from the 2014 level by 2020 and a 75% reduction by 2025.<sup>55</sup> Organic waste accounts for the vast majority of waste sector emissions and organic waste diversion is a key greenhouse gas mitigation strategy.

The CN scenario provides a pathway for the City to reach the state-wide target of carbon neutrality by 2035. The pathway is largely based on state targets outlined in AB 341 and SB 1383, with additional hauler diversion rate commitments from Athens (outlined in their Integrated Solid Waste Management Services Agreement). These relevant and ambitious targets are sufficient to achieve significant reductions in emissions from the waste sector.

The CN scenario makes necessary assumptions such that West Hollywood can meet carbon neutrality by 2035 given the target diversion rates and wastewater generation reduction levels identified in the CAAP measures. The key levers for the waste and wastewater sector emissions are primarily driven by population growth forecasts, solid waste diversion rate, organics diversion rate, and wastewater generation rates. Under the CN scenario, waste generation increases by 10% by 2035 from 2018 baseline levels. Over this same period, the total mass of disposed waste is assumed to drop by 78% and the amount of compost is assumed to increase by 53%.

The following CAAP measures apply to the waste and wastewater CN scenario:

- ZW-2: Divert organic waste.
- NE-3: Improve water management.

Table 31: Waste and Wastewater Targets

| CAP Measures and Sub Actions | 2025 CN  | 2035 CN  |
|------------------------------|--|--|
| ZW-2                         | Achieve 60% diversion rate for organics and 65% diversion rate for total solid waste from 2014 baseline. | Achieve 80% diversion rate for organics and 90% diversion rate for total solid waste from 2014 baseline. |
| NE-3                         | Reduce wastewater generation by 10% compared to 2018 baseline.   | Reduce wastewater generation by 20% compared to 2018 baseline.   |

Table 32: Waste and Wastewater Emission Pathways

| CAP Measures and Sub Actions | Unit | 2025 CN | 2035 CN |
|------------------------------|------|---------|---------|
| <b>Solid Waste Generated</b> | tons | 49,429  | 52,677  |



|                                 |                     |        |       |
|---------------------------------|---------------------|--------|-------|
| Organic Waste Generated         | tons                | 8,057  | 8,586 |
| Composted                       | tons                | 4,834  | 6,869 |
| Disposed                        | tons                | 17,300 | 5,268 |
| Diversion Rate, Solid Waste     | %                   | 65%    | 90%   |
| Diversion Rate, Organics        | %                   | 60%    | 80%   |
| Solid Waste Emissions           | MTCO <sub>2</sub> e | 4,497  | 1,369 |
| Composting Emissions            | MTCO <sub>2</sub> e | 198    | 282   |
| Wastewater Emissions            | MTCO <sub>2</sub> e | 602    | 535   |
| Total Emissions                 | MTCO <sub>2</sub> e | 5,297  | 2,186 |
| Percent Change from 2018 Levels | -                   | -31%   | -72%  |




Figure 13: Waste and Wastewater Emission Projections and Pathways



## Urban Trees

Sequestration from urban trees in the City of West Hollywood is currently estimated at -255 MTCO<sub>2</sub>e annually. The City’s tree canopy has been shrinking in recent years, due to the impacts of development and disease. Relevant CAAP measures outline targets for maintaining the urban forest tree canopy at levels through 2025. This is followed by a gradual increase in urban tree canopy cover which increases sequestration rates by 2.5% by 2035.

The following CAAP measure applies to the urban trees CN scenario:

- NE-1: Protect and expand the urban tree canopy.

Table 33: Urban Trees Emissions/Sequestration Targets

| CAP Measures and Sub Actions | 2025 CN  | 2035 CN  |
|------------------------------|--|--|
| NE-1                         | Maintain urban forest tree canopy at 2016 levels | Increase urban forest tree canopy coverage by 2.5%, compared to 2016 levels. |

Table 34: Urban Trees Emissions/Sequestration Emission Pathways

| CAP Measures and Sub Actions    | Unit                | 2025 CN | 2035 CN |
|---------------------------------|---------------------|---------|---------|
| Change in Tree Canopy Cover     | %                   | 0%      | 2.5%    |
| Estimated Total Trees           | Count               | 8,629   | 8,845   |
| Estimated Additional Trees      | Count               | 0       | 216     |
| Total Emissions (Sequestration) | MTCO <sub>2</sub> e | -255    | -261    |
| Emissions Reductions            | %                   | 0%      | 2%      |
| Percent Change from 2018 Levels | %                   | 0%      | 2.5%    |




Figure 14: Urban Trees Emissions/Sequestration Projections and Pathways

### Other Scope 3 Emissions

The CN scenario builds upon assumptions made in the BAP and BAU scenarios by applying wastewater generation reduction targets identified in the CAAP measures. Based on these assumptions, emissions from wastewater treatment decrease by 70% and emissions from water supply and treatment decrease by 63% by 2035 (compared to 2018).

The following CAAP measure applies to the Other Scope 3 emissions sector within the CN scenario:

- NE-3: Improve water management.

Table 35: Other Scope 3 Emission Targets

| CAP Measures and Sub Actions | 2025 CN  | 2035 CN  |
|------------------------------|--|--|
| NE-3                         | Reduce wastewater generation by 10% compared to 2018 baseline. | Reduce wastewater generation by 20% compared to 2018 baseline. |

Table 36: Other Scope 3 Emission Pathways

| CAP Measures and Sub Actions    | Unit                | 2025 CN | 2035 CN |
|---------------------------------|---------------------|---------|---------|
| Wastewater Generated            | HCF/year            | 1,626   | 1,445   |
| Wastewater Generation Reduction | %                   | 10%     | 20.0%   |
| Wastewater Treatment            | MTCO <sub>2</sub> e | 456     | 203     |
| Water Supply and Treatment      | MTCO <sub>2</sub> e | 4,537   | 2,269   |
| Total Emissions                 | MTCO <sub>2</sub> e | 5,994   | 2,471   |
| Percent Change from 2018 Levels | %                   | -27%    | -64%    |




Figure 15: Other Scope 3 Projections and Pathways



## CN Summary

By implementing the CAAP measures and sub-actions outlined above, it is assumed that community wide GHG emissions are reduced by 68.4% by 2035 compared to 2018 levels. This percent change from 2018 levels corresponds to a total reduction of 151,467 MTCO<sub>2e</sub>, bringing the total residual emissions to 69,894 MTCO<sub>2e</sub> by 2035.

The main sources of remaining or residual emissions include transportation, product use, and waste. Transportation accounts for nearly 56% of the residual emissions, with approximately 57.5% of vehicles estimated to be gasoline or diesel powered by 2035. Stationary energy is responsible for 10.5% of the residual emissions, with 20% of buildings still using natural gas and other fossil fuels. Waste makes up 3.1% of residual emissions, as a small fraction of food and green waste is expected to end up in landfills, and biogenic processing of compost emits greenhouse gases. Product use accounts for 27.3% of the residual emissions. Emissions from refrigerant use are expected to increase due to electrification and population growth. Lastly, urban forestry contributes a small amount (-261 MTCO<sub>2e</sub>) of carbon sequestration.

Table 37: Carbon Neutrality Pathways by Sector

| CAP Measures and Sub Actions           | Units              | 2018 Baseline | 2025 CN | 2035 CN |
|--|--------------------|---------------|---------|---------|
| Transportation and Mobility            | MTCO <sub>2e</sub> | 66,194        | 56,455  | 39,078  |
| Stationary Energy                      | MTCO <sub>2e</sub> | 127,824       | 33,474  | 7,327   |
| Product Use                            | MTCO <sub>2e</sub> | 13,090        | 16,210  | 19,093  |
| Waste and Wastewater                   | MTCO <sub>2e</sub> | 7,697         | 5,297   | 2,186   |
| Other Scope 3 Emissions                | MTCO <sub>2e</sub> | 6,810         | 4,994   | 2,471   |
| Urban Forest (AFOLU)                   | MTCO <sub>2e</sub> | -255          | -255    | -261    |
| <b>Total Emissions</b>                 | MTCO <sub>2e</sub> | 221,361       | 116,173 | 69,894  |
| <b>Percent Change from 2018 Levels</b> | %                  | -             | -47.5%  | -68.4%  |




Figure 16: Carbon Neutrality Pathways




Figure 17: Comparison of business-as-planned (BAP) and carbon neutral (CN) pathways in 2035. Gap in emissions is represented by measure specific GHG reductions compared to BAP.




Figure 18: Residual Emissions by Proportion





- 
- 1 SoCalGas Data
  - 2 2018 Climate Registry Information System.  
<https://www.theclimateregistry.org/wp-content/uploads/2018/06/The-Climate-Registry-2018-Default-Emission-Factor-Document.pdf>
  - 3 SCE Data
  - 4 2018 eGRID WECC.
  - 5 Fehr and Peers.
  - 6 EMFAC 2017 Model. <https://arb.ca.gov/emfac/>
  - 7 ChargePoint Data.
  - 8 2018 eGRID WECC.
  - 9 City Data.
  - 10 EMFAC 2016 Model.
  - 11 Buro Happold Analysis.
  - 12 EMFAC 2016 Model.
  - 13 OurCounty Sustainability Plan.
  - 14 California Department of Finance Projections.  
<http://www.dof.ca.gov/Forecasting/Demographics/Projections/>
  - 15 CARB SLCP HFC Emissions Inventory.  
[https://ww3.arb.ca.gov/cc/inventory/slcp/data/slcp\\_fgas\\_100yr1.pdf](https://ww3.arb.ca.gov/cc/inventory/slcp/data/slcp_fgas_100yr1.pdf)
  - 16 Athens Services
  - 17 SEEC ClearPath Tool.
  - 18 Athens Services Data.
  - 19 SEEC ClearPath Tool.
  - 20 City of Los Angeles 2017 Municipal Greenhouse Gas Emissions Inventory.  
<https://lacitysan.org/san/sandocview?docname=cnto36554>
  - 21 Loyola Marymount University et al. Tree Canopy Map Viewer.  
<https://academics.lmu.edu/cures/research/treemaps/>
  - 22 Carbon storage and sequestration by trees in urban and community areas of the United States. 2013.  
[https://www.fs.fed.us/nrs/pubs/jrnl/2013/nrs\\_2013\\_nowak\\_001.pdf](https://www.fs.fed.us/nrs/pubs/jrnl/2013/nrs_2013_nowak_001.pdf)
  - 23 2017 City of West Hollywood CAP Progress Report.
  - 24 City of Los Angeles 2017 Municipal Greenhouse Gas Emissions Inventory.  
<https://lacitysan.org/san/sandocview?docname=cnto36554>
  - 25 SCE.
  - 26 EPA. 2018 eGRID WECC. <https://www.epa.gov/egrid>
  - 27 EPA's Emission Factors for Greenhouse Gas Inventories, 2018.
  - 28 The Climate Registry Default Emission Factors, 2018.
  - 29 EPA's Emission Factors for Greenhouse Gas Inventories, 2018.
  - 30 Charge Point. [https://na.ChargePoint.com/analysis\\_charts](https://na.ChargePoint.com/analysis_charts)
  - 31 Fehr and Peers. 2010. City of West Hollywood General Plan Greenhouse Gas Emissions Analysis.
  - 32 EPA's Emission Factors for Greenhouse Gas Inventories, 2018.
  - 33 The Climate Registry Default Emission Factors, 2018.
  - 34 CalRecycle. State-wide Per Employee Disposal, 2017.
  - 35 SEEC ClearPath Tool.
  - 36 LADWP. 2015 Urban Water Management Plan (Exhibit 12P: LADWP Water System Energy Intensity for FYEs 2010-2015).  
<https://ladpw.org/wwd/web/Documents/2015%20Urban%20Water%20Management%20Plan%20ofor%20District%20No.%2029%20and%20the%20Marina%20del%20Rey%20Water%20System.pdf>
  - 37 Fehr and Peers. 2010. City of West Hollywood General Plan Greenhouse Gas Emissions Analysis.
  - 38 California Light-duty GHG fleet standards. <https://www.transportpolicy.net/standard/california-light-duty-ghg/>
  - 39 CARB. SLCP HFC Emissions Inventory. [https://ww3.arb.ca.gov/cc/inventory/slcp/data/slcp\\_fgas\\_100yr1.pdf](https://ww3.arb.ca.gov/cc/inventory/slcp/data/slcp_fgas_100yr1.pdf)

- 
- 40 California Department of Finance Projections. <http://www.dof.ca.gov/Forecasting/Demographics/Projections/>
- 41 U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates, Table S2504
- 42 City of West Hollywood General Plan 2035. Land Use and urban Form. 2011.  
<https://www.weho.org/Home/ShowDocument?id=5416>
- 43 CEC. California Residential Appliance Saturation Survey. 2009. <https://www.energy.ca.gov/data-reports/surveys/2019-residential-appliance-saturation-study/2009-and-2003-residential-appliance>
- 44 CEC. California Commercial End Use survey. 2006. <https://www.energy.ca.gov/data-reports/surveys/california-commercial-end-use-survey/2006-california-commercial-end-use-survey>
- 45 CEC. Building a Climate Change - Resilient Electricity System for Meeting California's Energy and Environmental Goals. <https://ww2.energy.ca.gov/2019publications/CEC-500-2019-015/CEC-500-2019-015.pdf>
- 46 CEC. Building a Climate Change - Resilient Electricity System for Meeting California's Energy and Environmental Goals. <https://ww2.energy.ca.gov/2019publications/CEC-500-2019-015/CEC-500-2019-015.pdf>
- 47 SCE. Electric Power Generation Mix. [https://www.sce.com/sites/default/files/inline-files/SCE\\_RMEA\\_PCL\\_2018%20-%282%29.pdf](https://www.sce.com/sites/default/files/inline-files/SCE_RMEA_PCL_2018%20-%282%29.pdf)
- 48 Fehr and Peers.
- 49 EMFAC 2017 Model. <https://arb.ca.gov/emfac/>
- 50 California Department of Finance Projections.  
<http://www.dof.ca.gov/Forecasting/Demographics/Projections/>
- 51 CARB SLCP HFC Emissions Inventory.  
[https://ww3.arb.ca.gov/cc/inventory/slcp/data/slcp\\_fgas\\_100yr1.pdf](https://ww3.arb.ca.gov/cc/inventory/slcp/data/slcp_fgas_100yr1.pdf)
- 52 CARB. Final Short-Lived Climate Pollutant Reduction Strategy. 2017. Appendix C: California SLCP Emissions.  
[https://ww2.arb.ca.gov/sites/default/files/2020-07/SLCP\\_Appendix\\_C.pdf](https://ww2.arb.ca.gov/sites/default/files/2020-07/SLCP_Appendix_C.pdf)
- 53 Athens Diversion Plan.
- 54 Assembly Bill No. 341 ([https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill\\_id=201120120AB341](https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201120120AB341))
- 55 Senate Bill No. 1383 ([https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill\\_id=201520160SB1383](https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=201520160SB1383))